

**MANUFACTURER DETAILS**

HealthWest Pty Ltd  
2225 Martin Road  
Mundaring  
W.A. 6073

PHONE: 0412906699

**MATERIAL SAFETY DATA SHEET**

**IDENTIFICATION**

**PRODUCT NAME:**

**HydroCell**

UN NUMBER	- NOT APP.
CLASS	- NOT APP.
SUBSIDIARY RISK	- NOT APP.
PACKAGING GROUP	- NOT APP.
EPG:	- NOT APP.
HAZCHEM CODE	- NOT APP.
POISON SCHEDULE	- NOT APP.

**NON-HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA**

**OTHER NAMES:** NONE

**USE:** Mineral Water, Supplement

**PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Clear Liquid  
**BOILING POINT:** 100c  
**VAPOUR PRESSURE:** 18mm  
**SPECIFIC GRAVITY:** <1.1  
**FLASH POINT:** none  
**VOLATILES:** Negligible

**MELTING POINT:** Not applicable  
**VAPOUR DENSITY:** Not pertinent  
**SOLUBILITY (WATER):** yes  
**EXPLOSION LIMITS:** None  
**pH:** Neutral

<b>INGREDIENTS</b>	<b>CAS NUMBER</b>	<b>PROPORTION</b>
Distilled Water		60-100%
Silver Ions		<0.001%
Stabilised Oxygen		<0.2%

**HEALTH HAZARD INFORMATION**

**ACUTE**

This product has no adverse health effects expected if product is handled in accordance with labelling and this MSDS data.

**INGESTION**

Not likely to cause harmful effects.

**EYE**

No known hazard

**SKIN**

Non- hazardous to the skin

**INHALATION**

Not likely to cause harmful effects

**PRECAUTIONS FOR USE****ENGINEERING CONTROL**

No special controls required

**PROTECTION**

If considered necessary basic personal protection only

**FLAMMABILITY**

Non-combustible.

**EXPOSURE STANDARDS**

Nil Standard no risk

**SAFE HANDLING PROCEDURES****STORAGE**

Storage in a cool place. Store in original container. Not to be stored in unlined metal containers

**SPILLS AND DISPOSALS**

SPILLS: Mop spill up post warning signs until area dry

DISPOSAL: Dispose of waste to general waste

CONTAINER: Container can be reused after cleaning

**FIRE EXPLOSION**

Non-combustible.

**CONTACT POINT**

Contact Number: 0412906699

**DISCLAIMER**

**HealthWest** believes the information prepared in the Material Safety Data Sheet to be correct at the time of preparation but disclaims any liability with respect to any recommendations or applications made in connection herewith. Since **HealthWest** cannot anticipate or control the conditions under which this information may be used, each user should review the information in the specific context of the intended application.

This MSDS is not valid unless it has the following signature:

L Hewett  
Managing Director  
HealthWest Pty Ltd

