

MANUFACTURER DETAILS

HealthWest Pty Ltd
2225 Martin Road
Mundaring
W.A. 6073

PHONE: 0412906699

MATERIAL SAFETY DATA SHEET

IDENTIFICATION

PRODUCT NAME:

BODYGUARD
Personal Sanitizer

UN NUMBER	- NOT APP.
CLASS	- NOT APP.
SUBSIDIARY RISK	- NOT APP.
PACKAGING GROUP	- NOT APP.
EPG:	- NOT APP.
HAZCHEM CODE	- NOT APP.
POISON SCHEDULE	- NOT APP.

NON-HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

OTHER NAMES: NONE

USE: Personal Sanitizer

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear Liquid
BOILING POINT: 100c
VAPOUR PRESSURE: 18mm
SPECIFIC GRAVITY: <1.1
FLASH POINT: none
VOLATILES: Negligible

MELTING POINT: Not applicable
VAPOUR DENSITY: Not pertinent
SOLUBILITY (WATER): yes
EXPLOSION LIMITS: None
pH: Neutral

<u>INGREDIENTS</u>	<u>CAS NUMBER</u>	<u>PROPORTION</u>
Distilled Water		60-100%
Silver ions		<0.001%
Stabilised Oxygen		<0.12%

HEALTH HAZARD INFORMATION

ACUTE

This product has no adverse health effects expected if product is handled in accordance with labelling and this MSDS data.

INGESTION

Not likely to cause harmful effects.

EYE

No known hazard

SKIN

Non- hazardous to the skin

INHALATION

Not likely to cause harmful effects

PRECAUTIONS FOR USE**ENGINEERING CONTROL**

No special controls required

PROTECTION

If considered necessary basic personal protection only

FLAMMABILITY

Non-combustible.

EXPOSURE STANDARDS

Nil Standard no risk

SAFE HANDLING PROCEDURES**STORAGE**

Storage in a cool place. Store in original container. Not to be stored in unlined metal containers

SPILLS AND DISPOSALS

SPILLS: Mop spill up post warning signs until area dry

DISPOSAL: Dispose of waste to general waste

CONTAINER: Container can be reused after cleaning

FIRE EXPLOSION

Non-combustible.

CONTACT POINT

Contact Number: 0412906699

DISCLAIMER

HealthWest believes the information prepared in the Material Safety Data Sheet to be correct at the time of preparation but disclaims any liability with respect to any recommendations or applications made in connection herewith. Since **HealthWest** cannot anticipate or control the conditions under which this information may be used, each user should review the information in the specific context of the intended application.

This MSDS is not valid unless it has the following signature:

L Hewett
Managing Director
HealthWest Pty Ltd

